Color Anodizing

Color anodizing is available for all aluminum frames and for the following aluminum rails: GRATEdesign, MATdesign, QuietFLEX and alumaGRIL.









Clear

Black

Light Bronze

Med. Bronze



Dark Bronze

Dual Treads

Nystrom now offers dual treads on mats and grilles. Dual treads offer design flexibility to mix and match treads, and to offer both absorbent and scraping treads in one system.

AVAILABLE SYSTEMS INCLUDE

GRATEdesign® Rigid Grille GRATEdesign® Roll-Up Grille QuietFLEX® Roll-Up Mat MATdesign™ Roll-Up Mat MATrac™ Roll-Up Mat

PRIMARY TREAD	SECOND TREAD
PREMIUM CARPET	EcoTread Vinyl Ribbed Rubber Abrasive Insert Serrated Aluminum* Brush
RUGGED SCRUB	EcoTread Vinyl Ribbed Rubber Abrasive Insert Serrated Aluminum* Brush

Dual tread premium carpet and brush shown

^{*}Not available for MATdesign Roll-Up Mat and GRATEdesign Roll-Up Grille.

Sandbar



Espresso

Castle Gray



Smoke

Gun Metal



Slate

Graphite



Chrome



Fern

Premium Carpet COLOR OPTIONS

Nystrom uses the highest-quality carpet available for our mats and grilles.

CONSTRUCTION Carpet fibers are 3700 denier solution-dyed woven nylon and shall include a minimum of 100 10 ml mono filament fibers per square inch. Carpet weight shall be 33 oz. per square yard.

APPLICATION	FUNCTION
INTERIOR	Absorbent & Scraping



Wrought Iron

Denim



Chocolate Chip

Black



Charcoal



Tan



Licorice

Rugged Scrub[®] COLOR OPTIONS

This rugged carpet alternative is perfect for heavy-duty applications, is easy to maintain and the ideal solution for exterior and interior applications.

CONSTRUCTION 600 denier, solution-dyed polypropylene, tufted.

INTERIOR/EXTERIOR	Absorbent & Scraping	
APPLICATION	FUNCTION	



Midnight Black



Milky Way



Blue Night

EcoTread COLOR OPTIONS

Recycled rubber with EPDM backing. Provides a minimum of 64% post-consumer, 5.5% pre-consumer recycled content.

STANDARD COLOR Midnight black

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Slip Resistant

Colors shown give only an indication of shade. Samples are available upon request

EnvIRONtreadII®

COLOR OPTIONS

Constructed of truck and airplane tire strips, EnvIRONtreadII lasts longer than other textile entrance mats and grilles.

STANDARD COLOR Gray. Black may carry an additional charge.

NOTE Due to the recycled contents, there may be a significant color variation in this product.

APPLICATION	FUNCTION
INTERIOR	Absorbent & Scraping

Black

Ribbed Rubber

COLOR OPTIONS

The new dual durometer, TPV rubber tread is ideal for interior/exterior areas where moisture absorbency is not required.

CONSTRUCTION Vinyl base and a TPV, PVC-free, convex shaped tread with continuous serrations.

INTERIOR/EXTERIOR	Scraping
APPLICATION	FUNCTION



Black

Vinyl COLOR OPTIONS

Gray

Use vinyl in high-traffic, interior areas where moisture absorbency is not required.

CONSTRUCTION Extruded vinyl convex shape, continuous serrations.

APPLICATION	FUNCTION	
INTERIOR/EXTERIO	OR Scraping	•••
Blue	Gray	Beige
Red	Dark Brown	Black

Abrasive Insert

COLOR OPTIONS

Use abrasive inserts in interior areas where slip resistance is critical.

CONSTRUCTION Flexible abrasive bonded to a rigid bio-based/recycled plastic tread insert.

APPLICATION	FUNCTION	
INTERIOR	Slip Resistant	
	Telephone Co.	
Brick Red	Dark Brown	Ocean Gray
Safety Yellow	Flat Black	
ca.cej .chow	=	

Serrated Aluminum

COLOR OPTIONS

Use serrated aluminum in interior areas where scraping is critical.

CONSTRUCTION Serrated aluminum, mill finish.

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Scraping



Mill

Brush

COLOR OPTIONS

Nystrom's new rugged, brush is a premier scraping tread, ideal for snowy northern climates.

CONSTRUCTION Brush tread insert is constructed of rigid nylon bristles, 9 tufts per inch, each tuft contains 80 bristles.

INTERIOR/EXTERIOR	Scraping
APPLICATION	FUNCTION



Black

Polyester Carpet

COLOR OPTIONS

For MAXtread systems only. Use polyester carpet in interior or exterior areas where moisture removal and scraping is critical.

CONSTRUCTION Crimped solution-dyed 2750 denier polypropylene fibers tufted into a woven double backing and glued tread rails. Carpet weigh shall be 26 oz./yd².

INTERIOR/ EXTERIOR	Absorbent & Scraping
APPLICATION	FUNCTION







Vinyl Mat

COLOR OPTIONS

Use vinyl grilles in interior areas where scraping is

CONSTRUCTION Injection molded Polyvinyl Chloride (PVC).

APPLICATION	FUNCTION
INTERIOR/EXTERIOR	Scraping







ck Gray

Colors shown give only an indication of shade. Samples are available upon request