

June 2022

RE: Sustainability Statement

Babcock-Davis certifies and provides the following information for use in achieving LEED v4 credit for the specification of Babcock-Davis Wall and Door Protection.

Product Aluminum Crash Rails and Corner Guards,
Model(s) BCRAE4

Manufacturing Info

- Final Assembly Location: Brooklyn Park, MN
- Extraction point is not within 500 miles of manufacturing

LEED Credit Options:

- MR Credit: Building Product Disclosure and Optimization – Material Ingredients
 - Option 1. Material Ingredient Reporting (1 point) Use at least 20 different permanently installed products from at least five different manufacturers that use any of the following programs to demonstrate the chemical inventory of the product to at least 0.1% (1000 ppm). (10 different permanently installed products from at least three different manufacturers for CS and Warehouses & Distribution Centers)
 - Health Product Declaration. The end use product has a published and complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration open Standard.

If you require any further information, please do not hesitate to contact us at (888) 312-3726.

HPD UNIQUE IDENTIFIER: 28657

CLASSIFICATION: 10 26 00 Wall and Door Protection

PRODUCT DESCRIPTION: Wall and Door Protection is an integral part of a commercial project to prevent damage and safeguard your building investment. Babcock-Davis' Aluminum Wall Protection offers a superior level of protection in medium abuse areas. This HPD includes Babcock-Davis' Aluminum Crash Rails (BCRAE4) and Aluminum Corner Guards.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM WALL PROTECTION [6063 ALUMINUM BM-1 | END | RES | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per Leed®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-06-09

PUBLISHED DATE: 2022-06-09

EXPIRY DATE: 2025-06-09

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ALUMINUM WALL PROTECTION

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered by following the suggestions of Emerging Best Practices. This product consists of 100% metal alloys, for which Pharos CML may consider the various alloying elements as "Known or Potential Residuals". Therefore, these components have been included in the Substance Notes instead of as individual content entries. Components are listed by name, CASRN, percent by weight (as per supplier SDS), and relevant GreenScreen score.

OTHER PRODUCT NOTES:

6063 ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-06-09 14:49:15

%: 100.0000 - 100.0000

GS: BM-1

RC: Both

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Recycled content confirmed by supplier for Aluminum used in product: 50% post industrial recycled scrap and 25% post consumer recycled scrap. Documentation from supplier provides the following composition for alloying elements that may individually exceed the declared threshold: 1.2% Magnesium [7439-95-4; LT-UNK]; 0.8% Silicon [7440-21-3; LT-UNK]; 0.7% Iron [7439-89-6; LT-P1]; 0.4% Chromium [7440-47-3; LT-P1]; 0.4% Copper [7440-50-8; LT-UNK]; 0.3% Cobalt [7440-48-4; LT-1]; 0.3% Zinc [7440-66-6; LT-P1]; 0.2% Manganese [7439-96-5; LT-P1]; 0.2% Titanium [7440-32-6; LT-UNK]; max 0.2% Columbium [7440-03-1; LT-UNK]. May also include 5052 Aluminum for small components (e.g. Hardware). Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Aluminum.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non-emitting source per Leed®

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2022-06-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: All

09

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This product qualifies as an inherently non-emitting source per LEED, as 100% of the product consists of powder-coated metal and/or plated or anodized metal. As per LEED, "Products that are inherently nonemitting sources of VOCs (stone, ceramic, powder-coated metals, plated or anodized metal, glass, concrete, clay brick, and unfinished or untreated solid wood) are considered fully compliant without any VOC emissions testing if they do not include integral organic-based surface coatings, binders, or sealants."

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MOUNTING HARDWARE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Hardware used for product installation includes 1/4-20 nylon Lock nuts 18-8 stainless steel, and 1/4-20 X 1 PFH MS 18-8 Stainless Steel screws. Please contact manufacturer if more information is required.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **Babcock-Davis**
 ADDRESS: **9300 73rd Avenue North**
Brooklyn Park MN 55428, United States
 WEBSITE: **www.babcockdavis.com**

CONTACT NAME: **Sandy McWilliams**
 TITLE: **Director, Specification**
 PHONE: **888-412-3726**
 EMAIL: **smcwilliams@babcockdavis.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.