



Wall + Door Protection

10 2600 | PRODUCT CATALOG



Great Products.
Better Partners.



Great Products.
Better Partners.



ROOF HATCH + SMOKE VENT

07 7200



ACCESS DOORS

08 3100



FLOOR DOORS

08 3483



STAIR TREADS + NOSINGS

05 5000




ENTRANCE MATS + GRILLES

12 4813 / 12 48 16



FIRE PROTECTION SPECIALTIES

10 4413 / 10 4416



WALL + DOOR PROTECTION

10 2600





Protecting People + Buildings

Wall + Door Protection

CORNER GUARDS

5-7

Stainless Steel	5
Vinyl Surface Mount	6
Vinyl Recess Mount	6
Extruded Vinyl	7
Lexan	7
Vinyl Door Frame Guards	7

CRASH RAILS

8-9

Stainless Steel	8
Aluminum	8
Vinyl	9

BUMPER GUARDS

10

Vinyl	10
Vinyl Rub Rail	10

HANDRAILS

11-12

Round	11
Standard Crash Resistant	11
Accent Strip Handrail	12

WALL COVERINGS

13

Stainless Steel	13
Vinyl	13

Options

Vinyl Colors	14
Stainless Steel Patterns	15

More than a source for your
commercial building products...

A Partnership

Dear Partner,

Thank you for your continued confidence in Babcock-Davis. On behalf of the entire company, I can tell you that we are motivated and inspired from our partnership. Working with you to deliver commercial building products and services that exceed your expectations is our top priority.

For over 100 years, we have remained dedicated to building and designing the highest quality commercial building products. Our product offering and manufacturing capabilities have grown significantly over the years thanks to the quality commitment of our many hard working employees in Minnesota. We proudly stand behind every product that we ship out every day and around the world.

Sourcing commercial building products is never as simple as it seems. This is particularly true when it comes to the type of specialty and architectural building products that we supply. It takes a collaborative effort of resources and information to get the job done right. We understand all the complexities and time sensitivities involved. This is why we have built such a strong network of people and processes to better serve all of you, our partners. We do so with flexibility and nimbleness that fit your objectives-not ours.

We are excited for the future and the opportunity to work with you and to continue to exceed your expectations. You have our commitment that we will work hard every day to help you succeed.

If there is anything that we can do to improve our service to you, we will listen.

Sincerely,

Sue W. Thomas

Sue W. Thomas | CHIEF EXECUTIVE OFFICER

Stainless Steel

CORNER GUARD


Stainless steel corner guards offer a tough yet beautiful look to your building. A highly configurable product guarantees your needs will be met. Available in Type 304 or 430 stainless steel with a variety of patterns which are sure to enrich the quality and look of your building.

FEATURES

STANDARD CORNER GUARD Protect any length of wall with an easy application.

EMBOSSED PATTERNS Designed with a modern and attractive appearance.

EASY INSTALLATION Surface and recess mount applications.



DETAILS

MATERIAL Type 304, 316 or 430 Stainless Steel

FINISH #4 Satin or Embossed Pattern (see page 15)

MOUNTING Surface Mounted or Recessed

MOUNTING METHOD Mechanical or Adhesive

SIZE 1 inch, 2 inches, 3 inches or custom


LENGTH Continuous length up to 10 feet maximum

CORNER ANGLE 90°, 135° or Custom


MATERIALS



Stainless Steel



Corner Guard



End Wall

ORDER GUIDE

MODEL	MATERIAL	MOUNTING	WING SIZE	CORNER	MOUNTING	OPTIONS
BCG						-
	S Stainless Steel, Type 304	S Surface	1 1"	S Square	A Adhesive	D100 100°
	T Stainless Steel, Type 430	R Recess	2 2"		D Drilled Holes & Hardware	D135 135°
			3 3"			CSH Countersunk Holes & Hardware
						G18 18 Gauge

For other materials, contact factory.

Vinyl

CORNER GUARDS

Babcock-Davis' Vinyl Corner Guards are an attractive and durable solution to unsightly, damaged corners. Backed by a limited five-year warranty, Babcock-Davis' Corner Guards are available in 70 colors, are Class A fire-rated and meet national building code standards.

FEATURES

NEW OR EXISTING CONSTRUCTION Easily installed on new or existing walls.

PVC FREE OPTION Available with 2 inch or 3 inch standard corner guard.

FIRE-RATED Available with Class A or 2-Hour fire-rating.



DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Surface Mounted or Recessed

MOUNTING METHOD Mechanical, Adhesive or Tape

SIZE 2 inch to 3 inches

LENGTH Up to 12 Linear Feet

RETAINER Continuous Aluminum


CORNER ANGLE 90° or 135°

CORNER Square or Bull Nose


CORNER RADIUS 1/8 inch or 3/4 inch

FIRE-RATING Class A, 1 or 2-Hour (option)

VINYL SURFACE MOUNT CORNER GUARDS



VINYL RECESS MOUNT CORNER GUARDS



ORDER GUIDE

MODEL	MATERIAL	MOUNTING	WING SIZE	CORNER	OPTIONS	ACCESSORIES
BCG					-	- P
	V Vinyl	S Surface R Recess F Recess, 2-Hour Fire-Rated	2 2" 3 3"	S Square B Bull Nose	D135 135°	EC End Cap

Extruded Vinyl

CORNER GUARDS

Babcock-Davis' Extruded Vinyl Corner Guards are a durable solution to unsightly, damaged corners. This Corner Guard is available in 70 colors, Class A fire-rated and meets national building code standards.

DETAILS

MATERIAL Extruded Vinyl

FINISH Textured

MOUNTING Surface Mounted


MOUNTING METHOD Mechanical Fastened or Tape

SIZE 3/4 inch to 4 inches

LENGTH 4, 8, or 12 Linear Feet

CORNER ANGLE 90° or 135°

FIRE-RATING Class A



ORDER GUIDE

MODEL	WING SIZE	CORNER	OPTIONS	
BCGVE			-	- P
	75 3/4"	S Square	D135 135°	
	15 1-1/2"		D Drilled	
	3 3"		T Tape	
	4 4"			

Lexan®

CORNER GUARDS

Babcock-Davis' Lexan clear polycarbonate corner guards allow the color of your wall to show through. Our Lexan series is easily installed with simple self-tapping screws and available in a variety of sizes to meet any customer need.

DETAILS

MATERIAL Clear Polycarbonate

MOUNTING Surface Mounted


MOUNTING METHOD Mechanical

SIZE 1 inch to 2-1/2 inches

LENGTH 4 or 8 Linear Feet

CORNER ANGLE 90° or 135°

CORNER STYLE Square



ORDER GUIDE

MODEL	WING SIZE	CORNER	MOUNTING	OPTIONS	
BCGLS				-	
	1 1"	S Square	D Drilled Holes		D135 135°
	1125 1-1/8"				
	2 2"				
	25 2-1/2"				

Vinyl Door

CORNER GUARDS

Babcock-Davis' Vinyl Door Guards are designed with a 1-1/4 inch radius cover that is mounted over a continuous aluminum cover. The top and bottom caps "lock" the profile cover in place while the retainer can be modified to fit most door frame styles.

DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Surface Mounted

MOUNTING METHOD Mechanical


SIZE 3 inches

LENGTH Up to 12 Linear Feet

CORNER ANGLE 90°

CORNER STYLE Bull Nose

CORNER RADIUS 1-1/4 inch



ORDER GUIDE

MODEL	MATERIAL	MOUNTING	WING SIZE	ACCESSORIES	
BDG				- P	
	V Vinyl	S Surface	3 3"		EC End Cap

Stainless Steel

CRASH RAIL

Babcock-Davis' Stainless Steel Crash Rails offer a superior level of protection in high abuse areas. The stainless steel gives a high-tech appearance with industrial strength. Available in standard #4 satin finish or one of 11 embossed patterns. V-Groove available in 5-1/2 inch only.

DETAILS

MATERIAL Stainless Steel

MOUNTING METHOD Mechanical

FINISH #4 Satin or Embossed

SIZE 4 inch or 5-1/2 inch


MOUNTING Surface

RETAINER Continuous Wood


ORDER GUIDE

MODEL	SIZE	WING SIZE	OPTIONS
BCRSS		-	
	4 4"	BS 2-3/4" Square Mounting Bracket	VG V-Groove
	55 5-1/2"	B12 2" I-Beam Mounting Bracket	
		B13 3" I-Beam Mounting Bracket	

ACCESSORIES
EC End Cap



Standard



V-Groove

Aluminum + Stainless Steel

CRASH RAIL

Babcock-Davis' Aluminum and Stainless Steel Crash Rails are designed to protect your walls from carts and beds while providing a high-tech appearance.

DETAILS

MATERIAL 6063-T5 Aluminum or Stainless Steel, Type 304

FINISH Clear Anodized (Aluminum) or #4 Satin (Stainless Steel)

MOUNTING Extended Mount



MOUNTING METHOD Mechanical

SIZE 4 inch

ORDER GUIDE

MODEL	MATERIAL	OPTIONS
BCR		E4 -
	A Aluminum	BS 2-3/4" Square Mounting Bracket
	S Stainless Steel	B12 2" I-Beam Mounting Bracket
		B13 3" I-Beam Mounting Bracket

ACCESSORIES
EC End Cap
IC Inside Corner
OC 90° Outside Corner



Vinyl

CRASH RAILS

Babcock-Davis' standard Vinyl Crash Rails protect walls from damage by carts and beds. Available in multiple sizes and options, and embossed pattern in 70 color options. See page

FEATURES

RUGGED DURABILITY Protect any length of wall with versatile vinyl crash rails.

EMBOSSED PATTERNS Designed with a modern and attractive appearance.

FIRE-RATED Meets National Building Standards and is Class A fire-rated.



DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Surface, Cushion or Extended


MOUNTING METHOD Mechanical

SHAPE Square or Crescent


SIZE 4 inches, 5 inches, 6 inches, 7-3/4 inches or 8 inches

RETAINER Continuous Aluminum or Economy Clips

SHAPE




Square




Crescent

STANDARD


MODEL	MATERIAL	MOUNTING	SIZE	RETAINER	OPTIONS	
BCR					-	- P
	V Vinyl	S Surface	4 4"	C Continuous	B175 1-7/8" Extended Bracket	
		E Extended	6 6"	E Economy Clip	C05 1/2" Cushion Mount	
			775 7-3/4"			



Surface



1/2" Cushion



Extended Mount

CRESCENT SHAPE

MODEL	MATERIAL	MOUNTING	SIZE	RETAINER	OPTIONS	
BCR					-	- P
	V Vinyl	S Surface	5 5"	C Continuous	C05 1/2" Cushion Mount	
		E Extended	8 8"	E Economy Clip		

ACCESSORIES

EC End Cap
SK Splice Kit
IC Inside Corner
OC 90° Outside Corner

Vinyl

BUMPER GUARDS

Babcock-Davis' standard bumper guards are designed with rounded, full-length vinyl covers and continuous retainers. Meets national building code standards.

DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Surface or Extended


MOUNTING METHOD Mechanical

SIZE 2 inches or 4-1/8 inches

SHAPE Crescent or Half-Round

RETAINER Continuous Aluminum

FIRE-RATING Class A



ORDER GUIDE

MODEL	MOUNTING	SIZE	C	-	OPTIONS	- P
BBGV						
	S Surface Mount	2 2"			C05 1/2" Cushion Mount	
	E Extended Mount	4125 4-1/8"				

ACCESSORIES
EC End Cap
OC 90° Outside Corner

Vinyl Rub Rail

BUMPER GUARDS

Babcock-Davis' Rub Rail Bumper Guard is designed with an integrally colored flexible vinyl insert into a continuous aluminum retainer channel. Meets national building code standards.

DETAILS

MATERIAL Vinyl

FINISH Textured


MOUNTING Surface

MOUNTING METHOD Mechanical

SIZE 1-1/2 inch

RETAINER Continuous Aluminum

FIRE-RATING Class A



ORDER GUIDE

MODEL	-	P
BBGVS15C		

ACCESSORIES
EC End Cap
OC 90° Outside Corner

1-1/2" Round

VINYL HANDRAIL

Babcock-Davis' 1-1/2 inch diameter Round Handrail is constructed of a continuous aluminum retainer. An embossed vinyl cover encases the retainer. This standard handrail is Class A fire-rated and meets national building code standards.

DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Mounting Bracket


MOUNTING METHOD Mechanical

SIZE 1-1/2 inches

SHAPE Round

RETAINER Continuous Aluminum

FIRE RATING Class A





ORDER GUIDE

MODEL	ACCESSORIES	
BHRVE15C	-	- P
	BR Bracket	
	SK Splice Kit	
	LR Left Return	
	RR Right Return	
	IOC Inside/Outside Corner	

5-1/2" Standard

HANDRAIL WITH CRASH RESISTANCE

Babcock-Davis' Standard 5-1/2 inch Handrail is constructed to withstand impact with built-in crash protection. The sturdy mounting brackets maintain wall clearance and stability while providing support in medium- to high-impact areas. End and corner caps are available as semi-rigid plastic. Optional reveals provide additional design options.



DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Extended

MOUNTING METHOD Mechanical

SIZE 5-1/2 inches

RETAINER Continuous Aluminum

FIRE RATING Class A

OPTIONS



Accent Strip

ORDER GUIDE

MODEL	OPTIONS	
BHRVE55C	-	- P
	AS Accent Strip	

ACCESSORIES
SK Splice Kit
LRR Left/Right Return
IOC Inside/Outside Corner

6-1/4" Accent Strip

HANDRAIL WITH THUMB GRIP

Babcock-Davis' 6 inch Accent Strip Handrail with a thumb grip is constructed to withstand impact with built in crash protection. Designed with sturdy mounting brackets to maintain wall clearance and stability while providing support in medium- to high-impact areas. This three piece vinyl handrail allows for hundreds of color combinations while providing durable, attractive aesthetics.



FEATURES

NEW OR EXISTING CONSTRUCTION Easily installed on new or existing walls.

EMBOSSED PATTERNS Designed with a modern and attractive appearance.

FIRE-RATED Available with Class A fire-rating.

DETAILS

MATERIAL Vinyl

FINISH Textured

MOUNTING Extended


MOUNTING METHOD Mechanical

SIZE 6-1/4 inch

SHAPE Irregular

RETAINER Continuous Aluminum

FIRE RATING Class A



ORDER GUIDE

MODEL	ACCESSORIES		
BHRVE625C	-		- P
		SK Splice Kit	
		LR Left Return	
		RR Right Return	
		OC Outside Corner	

Stainless Steel

WALL COVERING

Babcock-Davis' Architectural Stainless Steel Wall Covering can be used in a wide variety of applications. This sturdy wall covering is available in various thicknesses and 10 embossed patterns, or a classy satin finish. These metal sheets can be added to walls, doors, and cabinetry in virtually any facility.



DETAILS

MATERIAL 16 Gauge Type 304 Stainless Steel

FINISH #4 Satin or Embossed

MOUNTING Surface

MOUNTING METHOD Mechanical

SIZE

- 4 feet by 8 feet
- 4 feet by 10 feet


ORDER GUIDE

MODEL	THICKNESS	SIZE	OPTIONS
BWCS			-
	16 16 gauge	S4X8 4" x 8" Sheet	DHS Drilled Holes & Hardware
	18 18 gauge	S4X10 4' x 10' Sheet	DHC Countersunk Holes & Hardware
	14 14 gauge		

Vinyl

WALL COVERING

Babcock-Davis' Vinyl Wall Covering can be used in a wide variety of applications. This sturdy wall covering is available various thicknesses and 70 color options with a classic Textured pattern.



ORDER GUIDE

MODEL	THICKNESS	SIZE	ACCESSORIES
BWCV			-
	030 .030" [†]	Sheet	Trim Molding
	040 .040" [†]	S4X8 4" x 8" Sheet	MJM1 J-Molding
	060 .060"	S4X10 4' x 10' Sheet	MIC1 Inside Corner Molding
	080 .080"	Roll	MOC1 Outside Corner Molding
	090 .090"	R2X120 2' x 120"	MDB1 Divider Bar - .028" and .04" thickness only
	125 .125" [‡]	R3X120 3' x 120"	CMC Color Match Caulk
		R4X120 4' x 120"	HPROLLER Heavy Pressure Roller
			Adhesives
			ADF1 #M Fastbond Contact Cement (1 Gallon)
			ADF5 #M Fastbond Contact Cement (5 Gallon)
			ADM1 Super Tek XT-2000 Mastic (1 Gallon)
			ADM5 Super Tek XT-2000 Mastic (5 Gallon)
			ADSL Spray Lock Adhesive (22 oz Can)
			Substrate Sealer
			DS1 Dry-Seal Substrate Sealer (1 Gallon)
			DS55 Dry-Seal Substrate Sealer (5 Gallon)

[†] Roll only available on .030 inch and .040 inch thick sheets.

[‡] .125 inch thick sheet is unrated.

DETAILS

MATERIAL Vinyl

FINISH Textured


MOUNTING Surface

MOUNTING METHOD Adhesive

SIZE

- 4 feet by 8 feet
- 4 feet by 10 feet

MATERIAL



Vinyl

Vinyl

COLOR OPTIONS

						
White	Linen White	Mission White	White Sand	Pearl	Eggshell	Champagne
						
Monterey	Pumice	Porcelain	Wheat	Ivory	Pale Yellow	Saffron
						
Chablis	Dover White	Doeskin	Mojave Sand	Desert Sand	Tan	Khaki Brown
						
Silkworm	Cappuccino	Toffee	Shoreline	Caisson	Ginger Spice	Mocha
						
Cafe Au Lait	Brown	Beige Desert	Ecru	Lavendar Heather	Dawn	English Rose
						
Victorian Rose	Plumberry	Cordovan	Woodlands	Sea Foam	Teal	Stormy Blue
						
Sage Green	Pale Jade	Grotto	Hunter Green	Amazon	Blue Ice	Blue Fog

Colors shown give only an indication of shade. Samples are available upon request.

Vinyl



COLOR OPTIONS



RAPID RESPONSE

Highlighted colors may be available for quick ship; subject to profile and quantity limitations.

All other colors have longer lead-times.



Stainless Steel

PATTERN OPTIONS

The #4 satin finish comes standard in 16 gauge thickness for both type #304 and #430 stainless steel. Embossed stainless steel is available in type #304 stainless. Thickness varies depending on the pattern.



9300 73RD AVENUE NORTH
BROOKLYN PARK, MN 55428

(888) 412-3726
(888) 312-3726 FAX

WWW.BABCOCKDAVIS.COM

WALL + DOOR PROTECTION CATALOG 04/2022
©2022 Babcock-Davis