

March 2026

RE: Sustainability Statement

Babcock-Davis certifies and provides the following information for use in achieving LEED v5 credit for specification of the following:

Product: Personnel Roof Hatches

Models: BRHUA, BRHUG, BRHUB

Final Assembly Location: Minneapolis, MN

LEED v5 Credit Contributions

Category: Materials and Resources

Credit: MRc3 – Low-Emitting Materials (2 Points Possible)

Babcock-Davis Personnel Roof Hatches are constructed of at least 97% powder coated, plated or anodized metal, which LEED considers inherently non-emitting sources of VOCs.

Category: Materials and Resources

Credit: MRc4 – Building Product Selection and Procurement (5 Points Possible)

Babcock-Davis has demonstrated achievement in two criteria areas for Personnel Roof Hatches:

- *Human Health:* A published, complete Health Product Declaration (HPD) is available for [Personnel Roof Hatches](#), with full disclosure of known hazards of all substances present at or above 1,000 ppm (0.1%) and Pre-Checked for LEED. [Score: 1]
- *Circular Economy:* Babcock-Davis Personnel Roof Hatches are constructed primarily of Aluminum and/or Steel, with the following recycled content:
 - BRHUA (Aluminum Curb and Cover)
 - Minimum 91% Aluminum Alloy (40-80% pre-consumer; 10-30% post-consumer)
 - Minimum 6% Steel Alloy (default 25% post-consumer)
 - BRHUG (Steel Curb and Cover)
 - Minimum 96% Steel Alloy (default 25% post-consumer)
 - BRHUB (Steel Curb and Aluminum Cover)
 - Minimum 69% Steel Alloy (default 25% post-consumer)
 - Minimum 28% Aluminum Alloy (40-80% pre-consumer; 10-30% post-consumer)