





3 1/2" MOUNTING FLASHING LENGTH **FLANGE** 

**SECTION B-B** 

## SPECIFICATIONS:

⟨1⟩ COVER:

14 GA GALV STEEL, STIFFENED TO WITHSTAND A LIVE LOAD OF 40PSF WITH A MAX DEFLECTION OF 1/150 OF THE SPAN.

- ⟨**2**⟩ **LINER:** 22 GA GALV STEEL
- (3) CURB: 14 GA GALV STEEL, CURB COUNTERFLASH WITH EZ TABS.
- 4 FINISH: RED OXIDE PWD
- (5) INSULATION: 1" POLYISO R-6 (5.6 LTTR) IN CURB,
  - 1" POLYSTYRENE R-4 (3.8 LTTR) IN COVER.
- 6 GASKET:

EXTRUDED EPDM RUBBER ADHESIVE BACKED GASKET SEAL CONTINUOUS AROUND COVER.

- $\langle \overline{7} \rangle$  SPRING: GAS SPRING WITH DAMPER FOR SMOOTH, CONTROLLED, COUNTERBALANCED LIFT ASSISTANCE.
- $\langle {\bf 8} \rangle$  **HINGE:** PINTLE HINGE WITH STAINLESS STEEL HINGE PINS.
- (9) HOLD OPEN ARM: NONE

### (10) LATCH:

ZINC PLATED STEEL SLAM LATCH, HOLDS COVERS CLOSED AGAINST WIND UPLIFT, INTERIOR AND EXTERIOR HANDLES WITH PADLOCK

# **11) PULL HANDLE:**

INTERIOR PULL DOWN HANDLE, SAFETY YELLOW POWDER COAT.

#### 12 ACTUATOR:

LINEAR ACTUATOR OPENS AND CLOSES COVER USING INCLUDED REMOTE OR KEYPAD. REQUIRES 110 VAC INPUT.

## NOTES:

-WHEN INSTALLING ON A PITCHED ROOF UP TO 7:12, THE HINGE SIDE(LENGTH)MUST BE PARALLEL TO THE SLOPE. - WIDTH X LENGTH DIMENSIONS ARE MEASURED INSIDE CURB TO

INSIDE CURB. THE WIDTH IS HINGE TO LATCH AND LENGTH IS HINGED SIDE.

#### **ROOF HATCH SIZE:** " (WIDTH) x " (LENGTH)

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BABCOCK-DAVIS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BABCOCK-DAVIS IS PROHIBITED, @2020 BABCOCK-DAVIS

# **OPTIONS**

**Double Wall Curb** 

PROJECT:						
ARCHITECT:						
CONTRACTOR:						
QTY:						
PART#:						
<b>babcock</b> davis*				TITLE:		
9300 73rd Avenue North Brooklyn Park, MN 55428						
	NAME	DATE	SIZE	DWG. NO.		REV
DRAWN			Α	Babcock RH BRHUG_X_S_T-ARHO ShpDr		
RELEASED			WE	IGHT·	SHEET 1	OF 2

1

