

April 2021

RE: Sustainability Statement

Babcock-Davis certifies and provides the following information for use in achieving LEED v4 credit for the specification of Personnel and Hurricane Roof Hatches.

Products: **Steel Curb and Cover Personnel and Hurricane Roof Hatch**
Model(s): **BRHPG, BRHUG, BRHHG**

Manufacturing Info

- Final Assembly Location: Brooklyn Park, MN
- Extraction point is not within 500 miles of manufacturing

LEED Credit Options:

Product Disclosure and Optimization – Material Ingredients

- Option 1. Material Ingredient Reporting (1 point) Use at least 20 different permanently installed products from at least five different manufacturers that use any of the following programs to demonstrate the chemical inventory of the product to at least 0.1% (1000 ppm). (10 different permanently installed products from at least three different manufacturers for CS and Warehouses & Distribution Centers)
 - Health Product Declaration. The end use product has a published and complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration open Standard.

If you require any further information, please do not hesitate to contact us at (888) 312-3726.

HPD UNIQUE IDENTIFIER: 24444

CLASSIFICATION: 07 72 33 Roof Hatches

PRODUCT DESCRIPTION: Roof Hatches provide safe and convenient access to commercial building roof areas using interior ladders and stairs. Babcock-Davis' complete line of Roof Hatch and Safety products meet building codes, fire and life safety requirements. Babcock-Davis' Personnel Roof Hatch provides safe access to roof areas on your building. Sized for ladder, ship stair, and service stair access with optional safety railings, grab bars and a variety of materials and finishes. The Hurricane Hatch is tested for higher wind performance. This HPD covers the single door models BRHPA, BRHPB, BRHPG, BRHUA, BRHUB, BRHUG, BRHH with multiple insulation options.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	<i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	<i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

PERSONNEL AND HURRICANE ROOF HATCHES (STEEL CURB AND COVER) [ASTM A228 STEEL NoGS POLYISOCYANURATE FOAM LT-P1 LIMESTONE, CALCIUM CARBONATE LT-UNK ZINC LT-P1 | AQU | END | MUL | PHY UNDISCLOSED NoGS ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END ETHENE, POLYMER WITH 1-PROPENE LT-UNK SC:CELLULOSE Not Screened 304 STAINLESS STEEL NoGS CARBON BLACK BM-1 | CAN PENTANE LT-P1 | AQU | MUL | MAM | PHY POLYSTYRENE LT-UNK ALUMINA TRIHYDRATE BM-2 | RES FERRIC OXIDE BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers or those without a registered identifier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CPDH Standard Method - not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-04-13
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2021-04-15
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2024-04-13

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PERSONNEL AND HURRICANE ROOF HATCHES (STEEL CURB AND COVER)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered by following the suggestions of Emerging Best Practices. More than 90% of this product consists of metal alloys, for which Pharos CML may consider the various alloying elements as "Known or Potential Residuals". Therefore, these components have been included in the Substance Notes instead of as individual content entries. Components are listed by name, CASRN, percent by weight (as per supplier SDS), and relevant GreenScreen score.

OTHER PRODUCT NOTES: Percent by weight of substances given as ranges to account for material differences between lines.

ASTM A228 STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-13 16:01:19

#: 92.0000 - 96.0000 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Recycled content estimated by supplier for majority of steel used in product to be 19.8% post-consumer and 14.4% pre-consumer content. Documentation from supplier provides the following composition for alloying elements that may individually exceed the declared threshold: max 2.0% Manganese [7439-96-5; LT-P1]; max 1.0% Silicon [7440-21-3; LT-UNK]; max 1.0% Chromium [7440-47-3; LT-P1]; max 0.4% Nickel [7440-02-0; LT-1]; max 0.2% Vanadium [7440-62-2; LT-1].

POLYISOCYANURATE FOAM

ID: 9063-78-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-13 16:01:20

#: 0.5000 - 4.6000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Insulator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Foam Insulation

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-13 16:01:20

#: 0.5000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder coating; red vinyl grip handle. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:21**%: **0.5000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Galvannealed steel door and frame, latch, hold open arm, mixed hardware.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:21**%: **0.5000 - 1.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder coating. Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 3.1.

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)ID: **25038-36-2**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:21**%: **0.4000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Continuous gasket seal.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLEID: **65997-17-3**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:23**%: **0.1000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Facer for polyisocyanurate insulation.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:22**%: **0.1000 - 0.5000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Powder coating. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Form specific hazards: airborne particles of respirable size – occupational setting.

ETHENE, POLYMER WITH 1-PROPENE

ID: 9010-79-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:22**%: **0.1000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Red handle.

SC:CELLULOSEID: **SC:Bio**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **0.1000 - 1.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:
 Version: SCBioMats/2018-02-23
 Category: Plant-based materials
 Identifier: 65996-61-4

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Facer for polyisocyanurate insulation. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

304 STAINLESS STEEL

ID: 12597-68-1

%: **0.0100 - 0.1000** GS: **NoGS** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hardware. This substance is considered essentially inert for the purposes of Pharos toxics scoring (Pharos CML).

CARBON BLACKID: **1333-86-4**

%: **0.0100 - 0.1000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: Continuous gasket seal, foam insulation. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Form-specific hazards: airborne particles of respirable size – occupational setting.

PENTANEID: **109-66-0**

%: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: Blowing agent used in polyisocyanurate insulation.

POLYSTYRENEID: **9003-53-6**

%: **0.0001 - 0.7000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Alternate insulation: 1" polystyrene used in conjunction with 1" polyisocyanurate.

ALUMINA TRIHYDRATE

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:25**%: **0.0001 - 0.6000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Powder coating. GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-04-13 16:01:25**%: **0.0000 - 0.5000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Powder coating. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Ferric Oxide is one of several compounds with warnings restricted to unbound/respirable forms.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CPDH Standard Method - not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-09-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: N/A

29

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SAFETY RAILING

HPD URL: <https://www.babcockdavis.com/products/fall-protection/safety-railings>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

OSHA compliant fall protection safety railings and posts specifically designed for Roof Hatches, Smoke Vents and Floor Doors.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Babcock-Davis
ADDRESS: 9300 73rd Avenue North
Brooklyn Park MN 55428, USA
WEBSITE: www.babcockdavis.com

CONTACT NAME: Sandy McWilliams
TITLE: Director, Specification
PHONE: 888.412.3726
EMAIL: www.SMcWilliams@babcockdavis.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.