OE ¦ãAG€G2

RE: Sustainability Statement

Babcock-Davis certifies and provides the following information for use in achieving LEED v4 credit for the specification of Equipment Roof Hatch.

Products: Equipment Roof Hatch Aluminum Curb and Cover

Model(s): BRHEA

Manufacturing Info

Final Assembly Location: Brooklyn Park, MN

Extraction point is not within 500 miles of manufacturing

LEED Credit Options:

Product Disclosure and Optimization – Material Ingredients

- Option 1. Material Ingredient Reporting (1 point) Use at least 20 different permanently installed products from at least five different manufacturers that use any of the following programs to demonstrate the chemical inventory of the product to at least 0.1% (1000 ppm). (10 different permanently installed products from at least three different manufacturers for CS and Warehouses & Distribution Centers)
 - Health Product Declaration. The end use product has a published and complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration open Standard.

If you require any further information, please do not hesitate to contact us at (888) 312-3726.

Equipment Roof Hatch (Aluminum Curb and Cover) by Babcock-Davis

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 28396

CLASSIFICATION: 07 72 33 Roof Hatches

PRODUCT DESCRIPTION: Roof Hatches provide safe and convenient access to commercial building roof areas using interior ladders and stairs. Single door and double door Equipment Roof Hatch are engineered to accommodate extra large equipment access through roofs. With options like curb mounts, heights and finishes, Babcock-Davis is sure to meet your equipment servicing needs. This HPD covers the Equipment Roof Hatches Aluminum Curb and Cover. Babcock-Davis Models BRHEA

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 100 ppm
- ⊙ 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are: ○ Yes Ex/SC ⊙ Yes ○ No Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

EQUIPMENT ROOF HATCH (ALUMINUM CURB AND COVER) [

ALUMINUM BM-1 | END | RES | PHY STEEL NoGS

POLYISOCYANURATE FOAM LT-P1 POLYSTYRENE LT-UNK

CELLULOSE PULP NoGS CARBON BLACK BM-1 | CAN

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK ZINC

LT-P1 | END | MUL | PHY | AQU LIMESTONE, CALCIUM CARBONATE BM-3dg ALUMINA TRIHYDRATE BM-2 | RES FERRIC OXIDE BM-1 |

CAN TITANIUM DIOXIDE LT-1 | CAN | END RESIN BINDER NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VFRIFIFR:

VERIFICATION #:

SCREENING DATE: 2022-04-30 PUBLISHED DATE: 2022-04-30

EXPIRY DATE: 2025-04-30



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

EQUIPMENT ROOF HATCH (ALUMINUM CURB AND COVER)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered by following the suggestions of Emerging Best Practices. More than 95% of this product consists of metal alloys, for which Pharos CML may consider the various alloying elements as "Known or Potential Residuals". Therefore, these components have been included in the Substance Notes instead of as individual content entries. Components are listed by name, CASRN, percent by weight (as per supplier SDS), and relevant GreenScreen score.

OTHER PRODUCT NOTES: Percent by weight of substances given as ranges to account for material differences between product lines.

ALUMINUM						ID: 7429-90-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCI	REENING DATE:	2022-04-30 13:50:45	
%: 61.0000 - 63.0000	GS: BM-1	RC: Bo	oth	NANO: No	SUBSTANCE ROLE: AI	loy element
HAZARD TYPE	AGENCY AND LIST TITLES			WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor			
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced			
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		H228 - Flammable solid [Flammable solids - Category 1 or 2]			
PHY	EU - GHS (H-Statements) Annex 6 Tab	ole 3-1	[Sub	stances and mix	h water releases flamma tures which, in contact s - Category 2 or 3]	•

SUBSTANCE NOTES: Curb and Cover, Channel, Mixed Hardware. Recycled content of Aluminum confirmed by supplier to range from 5% to about 60%, with typical recycled content of 35%. Documentation from supplier provides the following composition for alloy ingelements that may individually exceed the declared threshold: <6.6% Magnesium [7439-95-4; LT-UNK]; <1.5% Silicon [7440-21-3; LT-UNK]; <1.8% Iron [7439-89-6; LT-P1]; <1.1% Chromium [7440-47-3; LT-P1]; <4.0% Zinc [7440-66-6; LT-P1]; <1.9% Manganese [7439-96-5; LT-P1]. Curb and cover also available in 14 gauge Galvanneal Steel or 14 gauge Type 304 Stainless Steel.

STEEL ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 13:50:46

%: 35.0000 - 37.0000 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Spring/Hinge Assembly, Hold Open Arm, Latch, Mixed Hardware. Recycled content estimated by suppliers for steel used in product ranges from 18.5% total (14.0% pre-consumer and 4.5% post-consumer recycled scrap) to 97.8% total (36.5% pre-consumer and 61.3% post-consumer recycled scrap). Documentation from supplier provides the following composition for alloying elements that may individually exceed the declared threshold: max 3.1% Silicon [7440-21-3; LT-UNK]; max 2.5% Manganese [7439-96-5; LT-P1]; max 1.6% Aluminum [7429-90-5; LT-P1]; max 1.8% Nickel [7440-02-0; LT-1]; max 1.0% Chromium [7440-47-3; LT-P1]; max 0.2% Vanadium [7440-62-2; LT-1].

POLYISOCYANURATE FOAM ID: 9063-78-9 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 13:50:46

%: 0.5000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Insulator

WARNINGS HAZARD TYPE AGENCY AND LIST TITLES

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Curb Insulation

POLYSTYRENE ID: 9003-53-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 13:50:47

%: 0.3000 - 0.4000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Insulator

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Cover Insulation.

CELLULOSE PULP ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 13:50:47

%: 0.1000 - 0.2000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Insulation Facer.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 13:50:48

%: 0.1000 - 0.2000 GS: BM-1 RC: None SUBSTANCE ROLE: Pigment NANO: No

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS** CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen

CA EPA - Prop 65

Carcinogen Group 3B - Evidence of carcinogenic effects CAN MAK

but not sufficient for classification

IARC CAN Group 2B - Possibly carcinogenic to humans - inhaled

from occupational sources

SUBSTANCE NOTES: Gaskets, Insulation. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)

ID: 25038-36-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-30 13:50:48

CAN

Carcinogen - specific to chemical form or exposure route

%: 0.1000 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Gaskets.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:			2022-04-30 13:50:49		
%: 0.0500 - 0.1000	GS: LT-P1	RC: Nor	пе	NANO: No	SUBSTANCE ROLE: Coating		
HAZARD TYPE	AGENCY AND LIST TITLES		WARI	NINGS			
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			Disruptor		
MUL	German FEA - Substances Hazardous to Waters			Class 2 - Hazard to Waters			
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1			H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]			
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1			H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]			
AQU	EU - GHS (H-Statements) Annex 6 Tab	le 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]				
PHY	EU - GHS (H-Statements) Annex 6 Tab	le 3-1			pontaneously if exposed to air		

LIMESTONE, CALCIUM CARBO	NATE			ID: 1317-65-3		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-04-30 13:50:50		
%: 0.0000 - 0.3000	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS			
None found No warnings found on HPD Priority Hazard Lists						

SUBSTANCE NOTES: Powder coating applied to optional Steel. Identified on the US EPA Safer Chemical Ingredient List (Green Circle -Verified

RES	AOEC - Asthmagens	Asthr	Asthmagen (Rs) - sensitizer-induced		
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	WARNINGS		
%: 0.0000 - 0.2000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-04-30 13:50:50			

Low Concern).

ALUMINA TRIHYDRATE

ID: 21645-51-2

SUBSTANCE NOTES: Powder coating applied to optional Steel. GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

FERRIC OXIDE ID: 1309-37-1

SUBSTANCE NOTES: Powder coating applied to Steel option. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Greenscreen® Assessment prepared by ToxServices (14 Oct 2019); chemical listed on ToxFMD Screened Chemical Library as "Pigment Red 101 - Inhalation".

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-04-30 13:50:51			2022-04-30 13:50:51	
%: 0.0000 - 0.2000	GS: LT-1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARI	RNINGS		
CAN	US CDC - Occupational Carcinogens		Occup	pational Carcinogen		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route			
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CAN	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor			
CAN	MAK			rcinogen Group 4 - Non-genotoxic carcinogen with low k under MAK/BAT levels		
CAN	EU - GHS (H-Statements) Annex 6 Tab	le 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		

SUBSTANCE NOTES: Powder coating applied to Steel option. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Form-specific hazards: airborne particles of respirable size – occupational setting.

RESIN BINDER ID: Undisclosed

SUBSTANCE NOTES: Powder coating applied to Steel option. Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

30

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

ISSUE DATE: 2022-04- EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ALUMINUM SAFETY RAILING

HPD URL: https://hpdrepository.hpdcollaborative.org/repository/HPDs/publish_708_Aluminum_Safety_Railing.pdf

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

OSHA compliant fall protection safety railings and posts specifically designed for Roof Hatches, Smoke Vents and Floor Doors.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Babcock-Davis ADDRESS: 9300 73rd Avenue North Brooklyn Park MN 55428, USA WEBSITE: www.babcockdavis.com **CONTACT NAME: Sandy McWilliams** TITLE: Director, Specification

PHONE: 888.412.3726

EMAIL: smcwilliams@babcockdavis.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.