

March 2026

RE: Sustainability Statement

Babcock-Davis certifies and provides the following information for use in achieving LEED v5 credit for specification of the following:

Product: Equipment Roof Hatches

Models: BRHEA, BRHEG, BRHEB

Final Assembly Location: Minneapolis, MN

LEED v5 Credit Contributions

Category: Materials and Resources

Credit: MRC3 – Low-Emitting Materials (2 Points Possible)

Babcock-Davis Equipment Roof Hatches consist of at least 96% powder coated, plated or anodized metals, which LEED considers inherently non-emitting sources of VOCs.

Category: Materials and Resources

Credit: MRC4 – Building Product Selection and Procurement (5 Points Possible)

Babcock-Davis has demonstrated achievement in two criteria areas for Equipment Roof Hatches:

- *Human Health:* A published, complete Health Product Declaration (HPD) is available for [Equipment Roof Hatches](#), with full disclosure of known hazards of all substances present at or above 1,000 ppm (0.1%) and Pre-Checked for LEED [Score: 1]
- *Circular Economy:* Babcock-Davis Equipment Roof Hatches are constructed primarily of Aluminum and/or Steel, with the following recycled content: [Score: Up to 1]
 - BRHEA (Aluminum Curb and Cover)
 - Minimum 60% Aluminum Alloy (40-80% pre-consumer; 10-30% post-consumer)
 - Minimum 35% Steel Alloy (default 25% post-consumer)
 - BRHEG (Steel Curb and Cover)
 - Minimum 95% Steel Alloy (default 25% post-consumer)
 - BRHEB (Steel Curb and Aluminum Cover)
 - Minimum 67% Steel Alloy (default 25% post-consumer)
 - Minimum 28% Aluminum Alloy (40-80% pre-consumer; 10-30% post-consumer)