


Lume-A-Lite™

LOW-PROFILE RENOVATION STAIR TREADS + NOSINGS



BSTRM-R2A
shown

Economical and easy to install, Babcoack-Davis Lume-A-Lite Low-Profile Renovation Stair Treads and Nosings are designed for existing stairways, including: concrete, carpet, tile, checker plated steps, aluminum steps and more.

FEATURES

BRIGHTNESS The embedded glow-in-the-dark photoluminescent material provides needed illumination for a safe exit. Chose between an embeded resin strip with superior glow or abrasive grit strip that exceeds code requirements.

DURABILITY The stair treads and nosings are long-lasting. They are designed with materials that last, like extruded aluminum and abrasive grit.

INSTALLATION EASE Easily replace damaged or worn treads by installing new inserts. Installation and maintenance manuals are available at www.nystrom.com.



DETAILS

MATERIAL Extruded Aluminum with an embedded 53 mil resin strip or 21 mil abrauve grit insert

TREAD Serrated

WIDTH 2 inches

LENGTH Up to 12 linear feet

MOUNTING Adhesive (*supplied by others*)


NOSING Rounded

OPTIONS Mitered Cuts, Painted Undersides or Taped Tops

CODE COMPLIANCE 2015/2018 IBC Section 1025, 2015/2018 IFC Section 1025

TEST STANDARD ASTM 2072, UL 1994

NOSING



Rounded

INSERT




Resin Strip




Abrasive Grit Strip

OPTIONS



Mitered Cuts



Painted Undersides



Taped Tops

MODELS

MODEL	WIDTH	INSERT	INSTALL
BSTRM-R2A	2"	Resin Strip	Adhesive
BSTRM-R2A-T	2"	Abrasive Grit	Adhesive