July 2019

RE: Sustainability Statement

Babcock-Davis certifies and provides the following information for use in achieving LEED v4 credit for the specification of Babcock-Davis Stair Treads and Nosings.

Product Ribbed Bar Abrasive Nosing, Full Abrasive Nosing, Inset Ribbed Bar Abrasive

Nosing, Inset Full Abrasive Nosing, Architectural Insert Full Abrasive Nosing, Two-part full abrasive Nosing, Two-part ribbed bar abrasive nosing and

Renovation Abrasive Nosing with standard black abrasive

Model(s) BSTSB, BSTSF, BSTSB-N, BSTSF-N, BSTSB-N0.75, BSTTF, BSTTB,

BSTRB

Manufacturing Info

Final Assembly Location: Brooklyn Park, MN

Extraction point is not within 500 miles of manufacturing

LEED Credit Options:

Product Disclosure and Optimization – Material Ingredients

- Option 1. Material Ingredient Reporting (1 point) Use at least 20 different permanently installed products from at least five different manufacturers that use any of the following programs to demonstrate the chemical inventory of the product to at least 0.1% (1000 ppm). (10 different permanently installed products from at least three different manufacturers for CS and Warehouses & Distribution Centers)
 - Health Product Declaration. The end use product has a published and complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration open Standard.

If you require any further information, please do not hesitate to contact us at (888) 312-3726.

Abrasive Stair Nosings by Babcock-Davis

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 05 55 00 Metal Fabrications: Metal Stair Treads and Nosings

PRODUCT DESCRIPTION: Steps and stairways are common to most buildings as a key element of circulation and movement of people through individual spaces and the entire building. They also serve as a means of egress in the event of fire or other emergencies and are regulated in great detail by building codes and standards. Anti-slip stair treads help prevent pedestrian slips and falls, limiting risk and liability. For commercial and institutional buildings with moderate to high levels of foot traffic, extruded aluminum stair treads and nosings are selected for both interior and exterior locations. The abrasive insert are ADA and OSHA compliant. This HPD covers Babcock-Davis' Ribbed Bar Abrasive Nosing (BSTSB), Full Abrasive Nosing B(STSF), Inset Ribbed Bar Abrasive Nosing (BSTSB-N), Inset Full Abrasive Nosing (BSTSF-N), Architectural Insert Full Abrasive Nosing (BSTSB-N0.75), Two-part full abrasive Nosing (BSTTG), Two-part ribbed bar abrasive nosing (BSTTB) and Renovation Abrasive Nosing (BSTRB) with standard black abrasive. Additional abrasive color options are available; please contact manufacturer for more information.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- **⊙** 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized

% weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ○ No **Screened**

All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC © Yes C No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ABRASIVE STAIR NOSINGS [ALUMINUM (PRIMARY CASRN IS 7429-90-5) LT-P1 | RES | PHY | END ALUMINUM OXIDE BM-2 | RES SILICA, FUSED LT-1 | CAN EPOXY RESINS NoGS FERRIC OXIDE BM-2 | CAN CALCIUM OXIDE LT-P1 SILICA, AMORPHOUS LT-P1 | CAN MAGNESIUM OXIDE LT-UNK | CAN TITANIUM OXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2019-07-15 PUBLISHED DATE: 2019-07-25 EXPIRY DATE: 2022-07-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ABRASIVE STAIR NOSINGS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered by following the suggestions of Emerging Best Practices. Approximately 95% of this product consists of metal alloys, for which Pharos CML considers the various alloying elements as "Known or Potential Residuals". Thus, these components have been included in the Substance Notes instead of as individual content entries, with components listed by name, CASRN, and relevant GreenScreen score.

OTHER PRODUCT NOTES: Percent by weight of substances given as range due to material variations between product lines.

ALUMINUM (PRIMARY CASRN IS 7429-90-5)

ID: 1374563-22-0

HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-0	07-15
%: 93.00 - 96.00	GS: LT-P1	RC: Both	NANO: No	ROLE: Base Metal
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen	(Rs) - sensitizer-i	nduced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flam	nmable solid	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Cato	ches fire spontane	ously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In co	ontact with water	releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Er	ndocrine Disrupto	r

SUBSTANCE NOTES: Recycled content confirmed by supplier as average 80%, including average 67% pre-consumer/post-industrial recycled scrap, and average 13% post-consumer recycled scrap. Documentation from supplier provides the following composition for alloying elements that may individually exceed the declared threshold: Magnesium [7439-95-4; LT-UNK]; Silicon [7440-21-3; LT-UNK]; Chromium [7440-47-3; LT-P1]; Copper [7440-50-8; LT-UNK]; Zinc [7440-66-6; LT-P1]; Manganese [7439-96-5; LT-P1]; Titanium [7440-32-6; LT-UNK]. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Aluminum.

ALUMINUM OXIDE ID: 1344-28-1

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD S	CREENING I	DATE: 2019-07-15
%: 3.00 - 4.00	GS: BM-2	RC:	NANO:	ROLE: Abrasive Substrate Component; Pigment Component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

SILICA, FUSED				ID: 60676-86-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENIN	NG DATE: 201	9-07-15
%: 0.50 - 1.50	GS: LT-1	RC: None	nano: No	ROLE: Pigment Component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3	
CANCER	US CDC - Occupational Carcinogens	Occupat	tional Carcin	ogen

SUBSTANCE NOTES:

EPOXY RESINS ID: 61788-97-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-07-15		
%: 0.10 - 0.20	GS: NoGS	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	arnings found on l	HPD Priority Hazard Lists	
SUBSTANCE NOTES:					

FERRIC OXIDE ID: 1309-37-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	SCREENING	DATE: 2019-07-15
%: 0.10 - 1.00	GS: BM-2	RC: None	NANO: No	ROLE: Abrasive Substrate Component; Pigment Component
HAZARD TYPE	AGENCY AND LIST TITLES		WAR	NINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogen but not sufficient for classification		cinogen Group 3B - Evidence of carcinogenic effects not sufficient for classification

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

CALCIUM OXIDE ID: 1305-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-07-15

%: 0.05 - 1.00	gs: LT-P1	RC: None	nano: No	ROLE: Abrasive Substrate Component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			N	o warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

SILICA, AMORPHOUS			ID: 7631-8 6	
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: 201	9-07-15
%: 0.01 - 0.20	gs: LT-P1	RC: None	nano: No	ROLE: Pigment Component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
CANCER	Japan - GHS	Carci	nogenicity - Ca	tegory 1A
CANCER	Australia - GHS	H350	i - May cause c	ancer by inhalation

MAGNESIUM OXIDE ID: 1309-48-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-07-15 %: **0.01 - 0.20** GS: LT-UNK **ROLE: Abrasive Substrate Component** RC: None NANO: **No** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER MAK Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

TITANIUM OXIDE				ID: 51745-87-0
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-	07-15
%: 0.01 - 0.20	GS: LT-1	RC: None	nano: No	ROLE: Pigment Oxide

SUBSTANCE NOTES:

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials ("Special Conditions"), including those with Form-Specific Hazards such as Titanium Dioxide. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" (http://ow.ly/Z5ken).



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: N/A

CERTIFICATE URL:

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

03-20

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

REPAIR KIT

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Used only for aesthetic repairs or small holes. Includes abrasive material and epoxy resin.

TAPED TOPS

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Provides protection of exposed surfaces during installation to prevent overspill from pouring concrete.

PROTECTIVE PAINT

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Prevents a reaction between the undersides of the stair treads and concrete where they come into contact with each other.

MOUNTING HARDWARE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Mounting options include: Cast-in Bolt; Drilled Holes, Mechanically Fastened; Extruded Anchor; Wing Nut.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Babcock-Davis
ADDRESS: 9300 73rd Avenue North
Brooklyn Park MN 55428, USA

WEBSITE: www.babcokdavis.com

CONTACT NAME: Sandy McWilliams
TITLE: Director, Specification

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

PHONE: 888.412.3726

EMAIL: SMcWilliams@babcockdavis.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.