


EcoTread™

STAIR TREADS + NOSINGS

Sustainability, one step at a time.

The EcoTread Stair Nosings offer a sustainable and ecofriendly material option. An industry first, these treads are engineered with recycled aluminum and rubber. Multiple tread options provide a wide variety of coordinating color options that are perfect for both interior and exterior use.



OPTIONS















Colors shown give only an indication of shade. Samples are available upon request.

190% recycled rubber available in Black EcoTread only. All other recycled content noted by color swatches.


















Resin Insert (STSM only) Abrasive Grit Insert (STSM only)

Ribbed Abrasive

STAIR TREADS + NOSINGS

MODELS

MODEL	WIDTH	NOSING	TREAD INSERT	INSTALL
BSTSB-C1.875E-ECO	1-7/8"	Short	EcoTread	Cast-In, Extruded Anchor
BSTSB-C1.875D-ECO	1-7/8"	Short	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-P1.875E-ECO	1-7/8"	Short Tipped	EcoTread	Cast-In, Extruded Anchor
BSTSB-P1.875D-ECO	1-7/8"	Short Tipped	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-L1.875E-ECO	1-7/8"	Long	EcoTread	Cast-In, Extruded Anchor
BSTSB-L1.875D-ECO	1-7/8"	Long	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-A1.875D-ECO	1-7/8"	Angled Long	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-C3E-ECO	3"	Short	EcoTread	Cast-In, Extruded Anchor
BSTSB-C3D-ECO	3"	Short	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-P3E-ECO	3"	Short Tipped	EcoTread	Cast-In, Extruded Anchor
BSTSB-P3D-ECO	3"	Short Tipped	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-L3E-ECO	3"	Long	EcoTread	Cast-In, Extruded Anchor
BSTSB-L3D-ECO	3"	Long	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-A3E-ECO	3"	Angled Long	EcoTread	Cast-In, Extruded Anchor
BSTSB-A3D-ECO	3"	Angled Long	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-C4E-ECO	4"	Short	EcoTread	Cast-In, Extruded Anchor
BSTSB-C4D-ECO	4"	Short	EcoTread	Drilled Hole, Mech. Fastened
BSTSB-P4E-ECO	4"	Short Tipped	EcoTread	Cast-In, Extruded Anchor
BSTSB-P4D-ECO	4"	Short Tipped	EcoTread	Drilled Hole, Mech. Fastened



Ribbed Bar Abrasive BSTSB-P3E-ECO shown

Lume-A-Lite™

STAIR TREADS + NOSINGS

MODELS

MODEL	WIDTH	NOSING	TREAD INSERT	INSTALL
BSTSM-P3E-C1-ECO	3"	Short Tipped	EcoTread and Photoluminescent	Cast-In, Extruded Anchor
BSTSM-P3D-C1-ECO	3"	Short Tipped	Resin Insert	Drilled Hole, Mech. Fastened
BSTSM-P3E-C1-T-ECO	3"	Short Tipped	EcoTread and Photoluminescent	Cast-In, Extruded Anchor
BSTSM-P3D-C1-T-ECO	3"	Short Tipped		Drilled Hole, Mech. Fastened



BSTSM-P3E-C1-ECO shown

Renovation

STAIR TREADS + NOSINGS

MODELS

MODEL	WIDTH	NOSING	TREAD INSERT	INSTALL
BSTRB-L5D-ECO	5"	Long	EcoTread	Drilled Hole, Mech. Fastened
BSTRB-L9D-ECO	9"	Long	EcoTread	Drilled Hole, Mech. Fastened
BSTRB-L11D-ECO	11"	Long	EcoTread	Drilled Hole, Mech. Fastened
BSTRB-A5D-ECO	5"	Angled	EcoTread	Drilled Hole, Mech. Fastened
BSTRB-A9D-ECO	9"	Angled	EcoTread	Drilled Hole, Mech. Fastened
BSTRB-A11D-ECO	11"	Angled	EcoTread	Drilled Hole, Mech. Fastened



Find Babcock-Davis specifications with these preferred partners:

MasterSpec[®]

a product of The American Institute of Architects



A complete set of BIM models is available at babcockdavis.com and BIMSmith.





9300 73rd Avenue North Minneapolis, MN 55428

Phone (888) 412-3726 Fax (800) 312-3726





